


MAGAZINE LATCH PLUNGER SPRING

[Home](#)

FITS: 10/22® - Common Parts, .22; 77/22® - Common Parts, .22; 77/22® - 44 Common Parts, .22



Attributes

- Name: [MAGAZINE LATCH PLUNGER SPRING](#)
- Manufacturer: [RUGER](#)
- Product no.: 780010024
- Mfr. No.: B37
- Make: Ruger
- Model: 10/22,77/22
- Delivery weight: 0.005kg
- Shipping height: 8mm
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- MAGAZINE LATCH PLUNGER SPRING Safety Instructions
- About Us

MAGAZINE LATCH PLUNGER SPRING Safety Instructions

Introduction

Thank you for choosing the MAGAZINE LATCH PLUNGER SPRING. This product is designed to enhance the functionality of your Ruger firearms, specifically the 10/22 and 77/22 models. To ensure your safety and the proper use of this product, please read the following safety instructions carefully.

General Safety Guidelines

- Always handle firearms with care and respect.
- Ensure that the firearm is unloaded before performing any maintenance or installation.
- Keep the MAGAZINE LATCH PLUNGER SPRING out of reach of children and unauthorized users.
- Familiarize yourself with the specific parts of your firearm before installation.
- Report any unsafe products or accidents to the relevant authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only with compatible Ruger models: 10/22 and 77/22.
- Inspect the MAGAZINE LATCH PLUNGER SPRING for damage before installation.
- Do not attempt to modify the product in any way.
- Ensure that all components are securely fastened after installation.
- If you experience any issues during installation or usage, cease use immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation (e.g., screwdriver).

2. Installation Steps

- Remove the magazine from the firearm.
- Locate the magazine latch assembly on your firearm.
- Carefully remove the old plunger spring if applicable.
- Insert the new MAGAZINE LATCH PLUNGER SPRING into the magazine latch assembly.
- Ensure that the spring is seated correctly and is not pinched or obstructed.
- Reassemble any components that were removed during the process.
- Test the magazine latch to ensure proper functionality before using the firearm.

3. Usage

- After installation, ensure the magazine latches securely into place.
- Regularly check the functionality of the magazine latch during routine maintenance.

Disposal Instructions

- Dispose of the MAGAZINE LATCH PLUNGER SPRING in accordance with local regulations.
- Do not dispose of the product in household waste.
- If the product is damaged or defective, contact your local waste management authority for proper

disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the MAGAZINE LATCH PLUNGER SPRING, please refer to the manufacturer's website or contact your local dealer for assistance.

Thank you for your attention to these safety instructions. Your safety and the safe operation of your firearm are our top priorities.

About Us

Brownells Sverige

Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör

Brownells Sverige AB
Box 99
793 22 Leksand
Sverige

www.brownells.se