

# TRIGGER PLUNGER

[Handgun Parts](#) > [Trigger Group Parts](#) > [Trigger Parts](#) > [Trigger Plungers](#)

FITS: New Model Bearcat®, Serial # Above 93-00000, .22; 10/22® - Common Parts, .22



## Attributes

- Name: [TRIGGER PLUNGER](#)
- Manufacturer: [RUGER](#)
- Product no.: 780010025
- Mfr. No.:
- Make: Ruger
- Model: Bearcat
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for TRIGGER PLUNGER](#)
- [About Us](#)

# Safety Instruction Guide for TRIGGER PLUNGER

## Introduction

Thank you for choosing the TRIGGER PLUNGER for your Ruger Bearcat® and 10/22® firearms. This guide provides essential safety instructions and usage guidelines in compliance with the EU General Product Safety Regulation (GPSR). Please read this document carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that the TRIGGER PLUNGER is compatible with your firearm model before installation.
- Always handle firearms with care and follow the manufacturer's safety instructions.
- Keep the TRIGGER PLUNGER and all firearm components away from children and unauthorized users.
- Regularly inspect the TRIGGER PLUNGER for signs of wear or damage before use.
- Report any unsafe conditions or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Always wear appropriate eye protection when handling or using firearms.
- Do not use the TRIGGER PLUNGER if you are under the influence of alcohol or drugs.
- Ensure that the firearm is unloaded before installing or removing the TRIGGER PLUNGER.
- Follow all local laws and regulations regarding firearm modifications and safety.
- If you experience any malfunction while using the TRIGGER PLUNGER, cease use immediately and consult a qualified gunsmith.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation (if applicable).

### 2. Installation:

- Locate the trigger assembly of your Ruger Bearcat® or 10/22®.
- Carefully remove the existing trigger plunger if applicable.
- Insert the TRIGGER PLUNGER into the trigger assembly, ensuring it is seated properly.
- Reassemble the trigger assembly according to the manufacturer's instructions.

### 3. Usage:

- After installation, conduct a function check to ensure the trigger operates correctly.
- Use the firearm in accordance with manufacturer guidelines and local laws.
- Regularly clean and maintain the TRIGGER PLUNGER to ensure optimal performance.

## Disposal Instructions

- Dispose of the TRIGGER PLUNGER in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for information on proper disposal methods for firearm components.

## **Contact Information for Further Support**

For any questions or concerns regarding the TRIGGER PLUNGER, please refer to the manufacturer's website or customer service for assistance. Ensure you have your product details and any relevant information ready when seeking support.

This safety instruction guide is designed to help you use the TRIGGER PLUNGER safely and effectively. Always prioritize safety and compliance with regulations when handling firearms and their components. Thank you for your attention to these important guidelines.

# About Us

## Brownells Sverige

**Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör**

Brownells Sverige AB  
Box 99  
793 22 Leksand  
Sverige

[www.brownells.se](http://www.brownells.se)