

SAFETY DETENT PLUNGER SPRING

FITS: 10/22® - Common Parts, .22; M-96®, .22, .22 Mag, .44 Mag



Attributes

- Name: SAFETY DETENT PLUNGER SPRING
- Manufacturer: RUGER
- Product no.: 780010037
- Mfr. No.: B54
- Make: Ruger
- Model: 10/22,M-96
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Safety Detent Plunger Spring](#)
- [Svenska: Säkerhetsanvisningar för SAFETY DETENT PLUNGER SPRING RUGER](#)

Safety Instruction Guide for Safety Detent Plunger Spring

Introduction

Thank you for choosing the Safety Detent Plunger Spring, designed for use with Ruger firearms, specifically the 10/22® and M96® models. This guide provides important safety instructions, proper usage, and disposal guidelines to ensure your safety and the safety of others. Please read this guide carefully before using the product.

General Safety Guidelines

- Always handle firearms with care and in accordance with the manufacturer's guidelines.
- Ensure that the firearm is unloaded before performing any maintenance or installation.
- Use protective eyewear when handling or installing the Safety Detent Plunger Spring.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the Safety Detent Plunger Spring for wear or damage. Replace if necessary.
- Report any unsafe product incidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the Safety Detent Plunger Spring is compatible with your firearm model (10/22® or M96®).
- Do not modify the Safety Detent Plunger Spring or use it for any purpose other than intended.
- Avoid exposing the spring to extreme temperatures or corrosive substances.
- If you experience any issues during installation or use, cease operation immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a screwdriver and any other tools specified by the firearm's manufacturer.

2. Installation:

- Locate the detent plunger area on your firearm.
- Carefully remove the old detent plunger spring if applicable.
- Insert the new Safety Detent Plunger Spring into the designated slot, ensuring it is seated properly.
- Reassemble any removed parts of the firearm according to the manufacturer's instructions.

3. Usage:

- After installation, conduct a function check to ensure proper operation of the firearm.
- Familiarize yourself with the operation of the detent mechanism to ensure safe usage.

Disposal Instructions

- Dispose of the Safety Detent Plunger Spring in accordance with local regulations regarding metal and firearm components.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the Safety Detent Plunger Spring, please refer to the manufacturer's contact information provided with your product. Ensure that you have the product details at hand for efficient assistance.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your Safety Detent Plunger Spring. Always prioritize safety when handling firearms and their components.

Säkerhetsanvisningar för SAFETY DETENT PLUNGER SPRING RUGER

Introduktion

Tack för att du valt SAFETY DETENT PLUNGER SPRING RUGER. Denna produkt är designad för att förbättra säkerheten och funktionaliteten hos din Ruger 10/22 och M96. För att säkerställa säker användning av produkten, vänligen följ de riktlinjer och instruktioner som anges i denna manual.

Allmänna säkerhetsriktlinjer

- Kontrollera alltid att produkten är kompatibel med din enhet innan installation.
- Förvara produkten utom räckhåll för barn och sårbara grupper.
- Använd alltid produkten enligt tillverkarens instruktioner.
- Rapportera eventuella farliga produkter eller olyckor till relevanta myndigheter.
- Håll dig informerad om eventuella återkallelser via EU:s Safety Gateplattform.

Specifika säkerhetsåtgärder för användning

- Använd skyddsglasögon och handskar när du installerar eller hanterar produkten.
- Kontrollera alltid att fjädern är i gott skick och inte skadad innan användning.
- Undvik att använda produkten om du upptäcker några tecken på slitage eller skada.
- Följ alltid de specifika installationsanvisningarna för din modell (10/22 eller M96).

Instruktioner för installation och användning

1. Förberedelse:

- Se till att du har rätt verktyg tillgängliga för installationen.
- Rengör området där produkten ska installeras för att undvika skräp i mekanismen.

2. Installation:

- Ta bort den befintliga detent plunger spring om det behövs.
- Placera den nya SAFETY DETENT PLUNGER SPRING på rätt plats i enheten.
- Se till att fjädern sitter ordentligt och är korrekt installerad.

3. Användning:

- Använd produkten endast för det avsedda syftet och i enlighet med tillverkarens specifikationer.
- Kontrollera regelbundet att fjädern fungerar som den ska och att det inte finns några tecken på skador.

Avfallsanvisningar

- Kassera produkten enligt lokala föreskrifter för avfallshantering.
- Undvik att slänga produkten i hushållssoporna om den är skadad eller defekt.

Kontaktinformation för ytterligare stöd

För frågor eller mer information om produkten, vänligen kontakta tillverkaren eller din återförsäljare. Se till att ha produktens modellnummer och inköpsinformation tillgänglig för snabbare hjälp.

Tack för att du följer dessa säkerhetsanvisningar. Genom att göra det bidrar du till en säkrare användning av din Rugerprodukt.