

MAINSRING SEAT, SS

[Handgun Parts](#) > [Frame Parts](#) > [Mainspring Parts](#) > [Mainsprings](#)

FITS: Bisley™ Large Frame; Bisley™ Small Frame; New Model Blackhawk®; New Model Single-Six®; Old Army™, .45; Super Blackhawk®, .44 Mag; Super Blackhawk® unter, .44 Mag; Vaquero®



Attributes

- Name: [MAINSRING SEAT, SS](#)
- Manufacturer: [RUGER](#)
- Product no.: 780012072
- Mfr. No.:
- Make: Ruger
- Model: Vaquero
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [MAINSRING SEAT, SS Safety Instructions](#)
- [About Us](#)

MAINSRING SEAT, SS Safety Instructions

Introduction

Thank you for choosing the MAINSPRING SEAT, SS. This product is designed to fit various Ruger models, providing reliable performance and safety. Please read this safety instruction guide carefully to ensure safe and effective use.

General Safety Guidelines

- Always handle firearms and their components with care and respect.
- Ensure that the MAINSPRING SEAT, SS is compatible with your specific Ruger model before installation.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for wear or damage before use.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- Do not use the MAINSPRING SEAT, SS if it shows signs of damage or wear.
- Ensure that the firearm is unloaded before installing or replacing the mainspring seat.
- Avoid applying excessive force during installation to prevent damage to the product or firearm.
- Always wear safety glasses when handling firearms to protect against potential debris.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded and pointed in a safe direction.
- Gather necessary tools for installation.

2. Installation Steps:

- Remove the existing mainspring seat from the firearm if applicable.
- Align the MAINSPRING SEAT, SS with the designated area of the firearm.
- Gently press or tap the mainspring seat into place, ensuring it is seated properly.
- Check for any movement or misalignment after installation.

3. Usage:

- Once installed, regularly check the mainspring seat for secure placement.
- Follow manufacturer guidelines for the specific firearm model regarding operation and maintenance.

Disposal Instructions

- Dispose of the MAINSPRING SEAT, SS according to local regulations for firearm components.
- Do not dispose of the product in regular household waste.
- Consider recycling options where applicable.

Contact Information for Further Support

For safety inquiries or further assistance, please refer to the manufacturer's contact information provided on the product packaging or the official website.

Thank you for ensuring the safe use of the MAINSPRING SEAT, SS. Your safety and satisfaction are our top priorities.

About Us

Brownells Sverige

Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör

Brownells Sverige AB
Box 99
793 22 Leksand
Sverige

www.brownells.se