

CYLINDER LATCH SPRING, SS

[Handgun Parts](#) > [Action Parts](#) > [Cylinder Parts](#) > [Cylinder Springs](#)

FITS: Bisley™ Large Frame; Bisley™ Small Frame; New Model Single-Six®; Super Blackhawk®, .44 Mag; Super Blackhawk® Hunter, .44 Mag; Vaquero®



Attributes

- Name: [CYLINDER LATCH SPRING, SS](#)
- Manufacturer: [RUGER](#)
- Product no.: 780012101
- Mfr. No.:
- Make: Ruger
- Model: Blackhawk
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [CYLINDER LATCH SPRING, SS Safety Instruction Guide](#)
- [About Us](#)

CYLINDER LATCH SPRING, SS Safety Instruction Guide

Introduction

Thank you for choosing the CYLINDER LATCH SPRING, SS. This guide provides essential safety instructions and guidelines for the safe use and maintenance of this product. Please read this document carefully to ensure safe handling and operation.

General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the manufacturer's instructions.
- Always inspect the product before use for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Report any unsafe conditions or accidents related to the product to the appropriate authorities.
- Stay informed about any recalls or safety alerts related to this product by checking the EU Safety Gate platform.

Specific Safety Precautions for Use

- Use this product only with compatible models: Bisley™ Large Frame Bisley™ Small Frame New Model SingleSix® Super Blackhawk®, .44 Mag Super Blackhawk® Hunter, .44 Mag Vaquero®
- Confirm that your firearm is unloaded and safe before attempting any maintenance or installation.
- Wear appropriate safety gear, such as safety glasses and gloves, when handling the product.
- Do not modify or alter the product in any way, as this may lead to unsafe conditions.
- If unsure about installation or usage, consult a qualified professional for assistance.

Instructions for Installation and Usage

1. Preparation

- Ensure that you have all necessary tools and equipment before starting the installation process.
- Read the product manual for your specific firearm model to understand the installation points.

2. Installation Steps

- Unload the firearm and ensure it is in a safe condition.
- Remove the existing latch spring if applicable, following the manufacturer's instructions.
- Carefully insert the CYLINDER LATCH SPRING, SS into the designated area, ensuring it is positioned correctly.
- Reassemble any parts that were removed during the process, making sure they are secure.
- Conduct a thorough inspection to ensure that the installation is complete and the product is functioning properly.

3. Usage

- Test the latch mechanism to ensure smooth operation.
- Regularly check the latch spring for signs of wear or damage and replace it if necessary.

Disposal Instructions

- Dispose of the CYLINDER LATCH SPRING, SS in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, take it to a designated recycling or hazardous

waste facility.

- Ensure that any packaging materials are also disposed of responsibly.

Contact Information for Further Support

For inquiries or concerns regarding the CYLINDER LATCH SPRING, SS, please refer to the manufacturer's website or contact customer support through the appropriate channels provided in your product documentation.

By following these safety guidelines and instructions, you can ensure the safe use and longevity of the CYLINDER LATCH SPRING, SS. Thank you for your attention to safety and responsible product use.

About Us

Brownells Sverige

Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör

Brownells Sverige AB
Box 99
793 22 Leksand
Sverige

www.brownells.se