

# MOUNTING SCREW, FRONT, SS

[Rifle Parts](#) > [Triggers Parts](#) > [Trigger Guard Parts](#) > [Trigger Guard Screws](#)

FITS: M-77® MK II™ Express; M-77® MK II™ Left Hand; M-77® MK II™ Magnum, .375, .416; M-77® MK II™ Standard; M-77® MK II™ Ultra Light; M-77® MK II™ Varmint/Target; M-77® MK II™ All-Weather®, Sporter



## Attributes

- Name: [MOUNTING SCREW, FRONT, SS](#)
- Manufacturer: [RUGER](#)
- Product no.: 780077012
- Mfr. No.:
- Make: Ruger
- Model: M77
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MOUNTING SCREW, FRONT, SS](#)
- [About Us](#)

# Safety Instruction Guide for MOUNTING SCREW, FRONT, SS

## Introduction

Thank you for choosing the MOUNTING SCREW, FRONT, SS. This guide provides essential safety instructions and information to ensure the safe installation and use of this product. Please read this guide carefully before using the product.

## General Safety Guidelines

- Always ensure that the product is suitable for your specific firearm model before installation.
- Follow all local laws and regulations regarding firearm accessories and modifications.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product regularly for signs of wear or damage.
- Report any unsafe products or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Ensure that the firearm is unloaded and pointed in a safe direction before beginning installation.
- Use appropriate tools when installing the mounting screw to avoid damaging the product or the firearm.
- Do not use excessive force when tightening the screw; overtightening may lead to damage.
- Always check the screw's fit and functionality after installation before using the firearm.
- If you experience any issues during installation or use, cease operation immediately and consult a professional.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather necessary tools: screwdriver and any other required tools as per your firearm's manual.
- Ensure that you are working in a welllit and clean environment.

### 2. Installation Steps:

- **Step 1:** Ensure the firearm is unloaded and in a safe position.
- **Step 2:** Locate the mounting area on your firearm as specified in the firearm's manual.
- **Step 3:** Align the MOUNTING SCREW, FRONT, SS with the mounting hole.
- **Step 4:** Insert the screw and handtighten to secure it in place.
- **Step 5:** Use the screwdriver to tighten the screw firmly, but do not overtighten.
- **Step 6:** Check that the screw is secure and that there is no movement.

### 3. PostInstallation Check:

- Verify that the mounting screw is properly installed and that all components are secure.
- Conduct a function check of the firearm to ensure proper operation.

## Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling regulations.
- If the product is damaged or no longer needed, dispose of it responsibly, ensuring it does not pose a safety risk to others.

## **Contact Information for Further Support**

For any questions or concerns regarding the MOUNTING SCREW, FRONT, SS, please refer to your local retailer or authorized dealer for assistance.

Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation. Enjoy your product responsibly!

# About Us

## Brownells Sverige

**Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör**

Brownells Sverige AB  
Box 99  
793 22 Leksand  
Sverige

[www.brownells.se](http://www.brownells.se)