

# FIRING PIN STOP

[Handgun Parts](#) > [Slide Parts](#) > [Slide Hardware](#) > [Slide Pins](#)

FITS: Mark II™ .22 Standard & Target, .22; Mark II™ 22/45®, .22



## Attributes

- Name: [FIRING PIN STOP](#)
- Manufacturer: [RUGER](#)
- Product no.: 780100043
- Mfr. No.: A03500
- Make: Ruger
- Model: Mark II
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for FIRING PIN STOP](#)
- [About Us](#)

# Safety Instruction Guide for FIRING PIN STOP

## Introduction

Thank you for choosing the FIRING PIN STOP for your Ruger Mark II™ firearms. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read and follow these instructions carefully to maintain your safety and the safety of others.

## General Safety Guidelines

- Always handle firearms with care and respect.
- Ensure that the firearm is unloaded before installing or replacing any components.
- Keep the FIRING PIN STOP and other firearm parts out of reach of children and unauthorized users.
- Regularly inspect your firearm and its components for wear and damage.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the FIRING PIN STOP is compatible with your specific model of Ruger Mark II™ before installation.
- Do not use the FIRING PIN STOP if it shows signs of damage or wear.
- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Avoid using the firearm in wet or damp conditions to prevent corrosion and malfunction.
- Ensure that the firearm is pointed in a safe direction during installation and usage.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is unloaded.
- Gather necessary tools for installation (if applicable).

### 2. Installation

- Remove the slide from the firearm according to the manufacturer's instructions.
- Carefully remove the old firing pin stop if applicable.
- Align the new FIRING PIN STOP with the designated area on the slide.
- Gently press or tap the FIRING PIN STOP into place until it is securely fitted.
- Reassemble the slide onto the firearm.

### 3. Usage

- Confirm that the FIRING PIN STOP is properly installed before using the firearm.
- Test the firearm in a safe environment to ensure proper function.
- Follow all standard operating procedures for handling and firing your firearm.

## Disposal Instructions

- Dispose of any damaged or unused FIRING PIN STOP components in accordance with local regulations.
- Do not dispose of the product in regular household waste; check for recycling options available in your area.

## **Contact Information for Further Support**

For any questions or concerns regarding the FIRING PIN STOP, please refer to the contact information provided by the manufacturer or retailer at the time of purchase. Ensure to have the product details ready for efficient assistance.

By following these guidelines, you can help ensure your safety and the safe operation of your Ruger Mark II™ firearm. Thank you for your attention to these important safety instructions.

# About Us

## Brownells Sverige

**Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör**

Brownells Sverige AB  
Box 99  
793 22 Leksand  
Sverige

[www.brownells.se](http://www.brownells.se)