

1" SCOPE RING, 5K, HIGH, SS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

For Precise, Solid Scope Mounting On Ruger Rifles & Handguns

High-quality Ruger factory rings install easily and provide solid, zero-movement scope attachment to Ruger rifles and handguns with integral bases, No. 1 rifles with factory base, and No. 3 rifles with special factory bases available separately. Low, Medium, High, and Extra-High heights in blued carbon steel, natural stainless steel, or stainless with Ruger's proprietary matte Target Grey® finish. Sold as single rings.



Attributes

- Name: [1" SCOPE RING, 5K, HIGH, SS](#)
- Manufacturer: [RUGER](#)
- Product no.: 834000007
- Mfr. No.: 90283
- Finish: Silver
- Height: .565"
- Scope Tube Diameter: 1"
- Size: High
- Style: Ruger-Style Rings
- Delivery weight: 0.068kg
- Shipping height: 26mm
- Shipping width: 70mm
- Shipping length: 128mm
- UPC: 736676902835

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1" Scope Ring](#)
- [About Us](#)

Safety Instruction Guide for 1" Scope Ring

Introduction

Thank you for choosing the 1" Scope Ring. This product is designed to provide a secure and stable attachment for your scope on Ruger rifles and handguns. To ensure safe usage and optimal performance, please read this safety instruction guide carefully.

General Safety Guidelines

- Always follow the manufacturer's instructions for installation and use.
- Inspect the product before each use to ensure it is in good condition.
- Ensure that the scope and rings are compatible with your firearm.
- Do not exceed the recommended height for your specific model.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not use the scope ring if it is damaged or shows signs of wear.
- Ensure that the scope is properly secured in the rings before use.
- Avoid overtightening the rings, as this may damage the scope or firearm.
- Use the appropriate height rings for your specific model to maintain proper eye relief.
- If using the offset ring, ensure it is installed correctly to avoid misalignment.
- Always wear appropriate safety gear when handling firearms.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and components, including the scope, rings, and a torque wrench.
- Ensure your firearm is unloaded and pointed in a safe direction.

2. Installation Steps

- Identify the correct height rings for your model (refer to the specifications provided).
- Place the front ring on the firearm's base and secure it loosely.
- Position the rear ring on the base, ensuring it is aligned with the scope's mounting points.
- Insert the scope into the rings, adjusting it to the desired position for eye relief.
- Tighten the rings gradually in a crisscross pattern to ensure even pressure, avoiding overtightening.

3. Usage

- After installation, check the stability of the scope by gently shaking it.
- Confirm that the scope is aligned with the firearm's sights before use.
- Regularly inspect the rings and scope for any signs of movement or wear during use.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the product is no longer in use, consider recycling it if possible.
- Do not dispose of the product in household waste; instead, follow local ewaste disposal guidelines.

Contact Information for Further Support

For any questions or concerns regarding the product or its safety, please refer to the manufacturer's contact information provided on the packaging or product literature.

By following these guidelines, you can ensure a safe and enjoyable experience with your 1" Scope Ring. Thank you for your attention to safety and compliance.

About Us

Brownells Sverige

Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör

Brownells Sverige AB
Box 99
793 22 Leksand
Sverige

www.brownells.se