

MAGAZINE FLOOR PLATE FOR S&W 3913/908 FLAT

[Magazines](#) > [Handgun Magazines](#) > [Magazine Parts](#) > [Magazine Floorplates](#)

Factory replacement magazine floor plate for the S&W 3913, 3953, 9000 & 908.



Attributes

- Name: [MAGAZINE FLOOR PLATE FOR S&W 3913/908 FLAT](#)
- Manufacturer: [SMITH & WESSON](#)
- Product no.: 940000417
- Mfr. No.: 200810000
- Make: Smith & Wesson
- Model: 900,3953,908,3913
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MAGAZINE FLOOR PLATE FOR S&W 3913/908 Safety Instruction Guide](#)
- [About Us](#)

MAGAZINE FLOOR PLATE FOR S&W 3913/908

Safety Instruction Guide

Introduction

Thank you for purchasing the Magazine Floor Plate for S&W 3913/908. This guide provides essential safety instructions and usage information to ensure the safe operation of your product. Please read this guide thoroughly before use.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or handling the magazine floor plate.
- Inspect the magazine floor plate for any visible damage before use. Do not use if damaged.
- Keep the magazine floor plate out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding firearm accessories and usage.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the floor plate is compatible with your specific model: S&W 900, 3913, 3953, or 908.
- Avoid excessive force during installation to prevent damage to the magazine or floor plate.
- Do not modify the magazine floor plate in any way. Modifications can compromise safety.
- Always store the magazine in a secure location when not in use.
- Regularly check the magazine floor plate for signs of wear or damage.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and the magazine is removed from the firearm.
- Locate the release mechanism on the existing magazine floor plate.
- Carefully remove the old floor plate by pressing the release mechanism.
- Align the new magazine floor plate with the magazine.
- Press down firmly until you hear a click, indicating that the floor plate is securely attached.
- Doublecheck that the floor plate is properly installed before using the magazine.

2. Usage:

- Load the magazine following the manufacturer's guidelines for ammunition type and capacity.
- Insert the magazine into the firearm, ensuring it is seated properly.
- Always keep your finger off the trigger until you are ready to shoot.
- After use, remove the magazine and store it in a safe location.

Disposal Instructions

- Dispose of the magazine floor plate in accordance with local regulations.
- Do not dispose of the product in regular household waste if it is damaged or broken.
- Consider recycling the product if possible, following local recycling guidelines.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the manufacturer's website or contact your

local retailer for assistance.

Thank you for ensuring your safety and the safety of others while using the Magazine Floor Plate for S&W 3913/908. Always prioritize responsible firearm handling and storage practices.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz