

SIGHT ASSEMBLY, REAR, .146", N/S, W/O, 6-8 3/8" BARREL

[Handgun Parts](#) > [Sights](#) > [Rear Sights](#)

FITS: 17-4, .22; 19, .357; 66, .357; 617, .22; 586, .357; 686, .357; 629, .44 Mag; 657, .41 Mag

Fits only current production revolvers with -4 or higher serial numbers.



Attributes

- Name: [SIGHT ASSEMBLY, REAR, .146", N/S, W/O, 6-8 3/8" BARREL](#)
- Manufacturer: [SMITH & WESSON](#)
- Product no.: 940000856
- Mfr. No.: 223310000
- Make: Smith & Wesson
- Model: Universal Handguns
- Sight Color: White Outline
- Style: Factory Replacement
- Delivery weight: 0.014kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SIGHT ASSEMBLY, REAR, .146", N/S, W/O, 68 3/8" BARREL](#)
- [About Us](#)

Safety Instruction Guide for SIGHT ASSEMBLY, REAR, .146", N/S, W/O, 68 3/8" BARREL

Introduction

Thank you for choosing the SIGHT ASSEMBLY, REAR, .146", N/S, W/O, 68 3/8" BARREL. This product is designed for use with Smith & Wesson Universal Handguns produced with 4 or higher serial numbers. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always ensure that the product is compatible with your specific firearm model.
- Handle all firearms and accessories with care, adhering to all applicable safety regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the sight assembly for any signs of damage or wear.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about recalls or safety alerts through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure the firearm is unloaded before installing or adjusting the sight assembly.
- Do not attempt to modify or alter the sight assembly in any way.
- Use only factory replacement parts for maintenance and repairs.
- Be aware of your surroundings and ensure a safe environment when using your firearm.
- Always wear appropriate eye and ear protection when shooting.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools (if applicable) for installation.

2. Installation

- Locate the rear sight assembly area on your firearm.
- Remove any existing sight assembly according to the manufacturer's instructions.
- Align the new sight assembly with the mounting point on the firearm.
- Securely fasten the sight assembly in place, ensuring it is stable and properly aligned.

3. Usage

- Once installed, test the sight assembly for proper alignment by aiming at a target.
- Make any necessary adjustments to ensure accuracy.
- Regularly check the sight assembly during use to ensure it remains secure.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste disposal regulations.
- If the sight assembly becomes damaged beyond repair, dispose of it in a manner that prevents it from being used by unauthorized individuals.

Contact Information for Further Support

For any inquiries regarding safety or product use, please contact your local authorized dealer or the manufacturer's customer service. Always refer to the official website for the latest information on safety and product updates.

By following these guidelines, you can ensure a safe and effective experience with your SIGHT ASSEMBLY, REAR, .146", N/S, W/O, 68 3/8" BARREL. Thank you for your attention to safety.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz