

NEW STYLE EXTRACTOR FOR S&W K FRAME BLUED

[Handgun Parts](#) > [Action Parts](#) > [Extractor Parts](#) > [Extractors](#)

Factory replacement extractor for Smith and Wesson "K" frame revolvers.



Attributes

- Name: [NEW STYLE EXTRACTOR FOR S&W K FRAME BLUED](#)
- Manufacturer: [SMITH & WESSON](#)
- Product no.: 940225030
- Mfr. No.: 225030000
- Caliber: 22 Caliber (.223-.224)
- Finish: Blued
- Make: Smith & Wesson
- Model: K Frame
- Delivery weight: 0.014kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for NEW STYLE EXTRACTOR FOR S&W K FRAME](#)
- [About Us](#)

Safety Instruction Guide for NEW STYLE EXTRACTOR FOR S&W K FRAME

Introduction

Thank you for choosing the NEW STYLE EXTRACTOR FOR S&W K FRAME. This guide provides essential safety instructions and information to ensure safe use and maintenance of your extractor. Please read this guide carefully before installation and use.

General Safety Guidelines

- Always handle firearms with care and respect.
- Ensure the firearm is unloaded before performing any maintenance or installation.
- Store the extractor in a safe and secure location, away from children and unauthorized users.
- Regularly inspect the extractor for signs of wear or damage before use.
- Follow all local laws and regulations regarding firearm accessories.
- If you experience any issues with the extractor, stop using it immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- Ensure that you are using the extractor with compatible Smith & Wesson "K" frame revolvers only.
- Do not modify the extractor in any way, as this may compromise its safety and functionality.
- Always wear appropriate safety gear, such as safety glasses, when handling firearms.
- Be aware of your surroundings and ensure that you are in a safe environment when using your firearm.
- Keep the extractor and all related components clean and free from debris.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is completely unloaded.
- Gather necessary tools, including a screwdriver and any other tools specified in your firearm's manual.

2. Installation:

- Remove the old extractor by following the manufacturer's instructions specific to your firearm model.
- Carefully install the new extractor, ensuring it is aligned correctly with the firearm's mechanism.
- Tighten any screws or fasteners securely, but do not overtighten to avoid damage.

3. Usage:

- After installation, perform a function check to ensure the extractor operates correctly.
- Test the extractor with dummy rounds before using live ammunition to ensure proper operation.
- If the extractor fails to function correctly, stop using it and consult a qualified gunsmith.

Disposal Instructions

- Dispose of any defective or damaged extractors in accordance with local regulations.
- Do not throw the extractor in regular trash. Instead, contact your local waste management facility for proper disposal methods.

- Ensure that all components are disposed of in a manner that prevents unauthorized access.

Contact Information for Further Support

For any questions or concerns regarding the NEW STYLE EXTRACTOR FOR S&W K FRAME, please consult a qualified gunsmith or contact the manufacturer directly. Always refer to the manufacturer's guidelines for the most accurate and relevant information.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz