

AR-15/M16 R.A.M.P. TACTICAL MOUNT - WARNE MFG. COMPANY 30MM ULTRA HIGH (1.435") 0 MOA MOUNT, BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Cantilevered For Long Eye Relief Scopes, Plus 45° Offset Rails For Secondary Sights

The Rapid Acquisition Multisight Platform (R.A.M.P.) is a one-piece cantilever mount with integral scope rings that positions optics farther forward to provide 1 $\frac{3}{4}$ " of extra space at the rear for mounting a long eye relief scope, night vision device, or magnifier. Features removable MIL-STD 1913 Picatinny rails on the left and right sides that let you mount secondary sights 45° off-axis from the main optic. Each top ring strap is secured with four Torx® screws for recoil-proof holding power. Two large hex nuts and 3 $\frac{3}{4}$ " long steel clamping bar lock the mount to a Picatinny receiver rail. Smooth contours and radiused edges give a streamlined appearance, reduce weight, and prevent snagging. Models available for 1" or 30mm scope body.



Attributes

- Name: [WARNE MFG. COMPANY 30MM ULTRA HIGH \(1.435"\) 0 MOA MOUNT, BLACK](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000264
- Mfr. No.: RAMP30
- Finish: Black
- Height: .75"
- Make: AR-15
- Number of Bases: 1-Piece
- Scope Tube Diameter: 30mm
- Size: Standard
- Style: Cantilever
- Delivery weight: 0.34kg
- UPC: 656813102952

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instructions for AR15/M16 R.A.M.P. Tactical Mount](#)
- [About Us](#)

Safety Instructions for AR15/M16 R.A.M.P. Tactical Mount

Introduction

Thank you for choosing the AR15/M16 R.A.M.P. Tactical Mount by Warne Mfg. Company. This guide provides essential safety instructions to ensure the safe and effective use of your mount. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the mount is compatible with your firearm and optics before installation.
- Always handle firearms with care and follow all safety protocols.
- Inspect the mount for any visible damage or defects before use.
- Store the mount in a safe and dry place when not in use.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before installing or adjusting the mount.
- Use the mount only as intended, following the manufacturer's recommendations.
- Be aware of your surroundings when using the firearm equipped with the mount.
- Do not exceed the weight limit of the mount with additional accessories.
- Keep the mount and firearm out of reach of children and unauthorized users.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing optics or mounts from the firearm.
- Align the R.A.M.P. Tactical Mount with the Picatinny rail on your firearm.
- Secure the mount using the provided Torx screws. Ensure all screws are tightened to prevent movement during use.
- If using additional optics or accessories, mount them on the provided Picatinny rails at a 45° angle as needed.

2. Usage:

- Adjust your optics to the desired position for optimal viewing.
- Regularly check the mount and accessories for tightness and stability before use.
- After use, clean the mount with a dry cloth to remove any debris or moisture.

Disposal Instructions

- Dispose of the mount in accordance with local regulations.
- If the mount is damaged or no longer usable, consider recycling the aluminum and steel components where facilities are available.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the manufacturer's website or contact

customer service.

Thank you for your attention to these safety instructions. Your safety and the proper functioning of your equipment are our top priorities.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu