

AR-15/M16 R.A.M.P. TACTICAL MOUNT - 1" ULTRA HIGH (1.435") 0 MOA MOUNT, GREEN

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Cantilevered For Long Eye Relief Scopes, Plus 45/ Offset Rails For Secondary Sights

The Rapid Acquisition Multisight Platform (R.A.M.P.) is a one-piece cantilever mount with integral scope rings that positions optics farther forward to provide 1¾" of extra space at the rear for mounting a long eye relief scope, night vision device, or magnifier. Features removable MIL-STD 1913 Picatinny rails on the left and right sides that let you mount secondary sights 45° off-axis from the main optic. Each top ring strap is secured with four Torx® screws for recoil-proof holding power. Two large hex nuts and 3¾" long steel clamping bar lock the mount to a Picatinny receiver rail. Smooth contours and radiusued edges give a streamlined appearance, reduce weight, and prevent snagging. Models available for 1" or 30mm scope body.



Attributes

- Name: [1" ULTRA HIGH \(1.435"\) 0 MOA MOUNT, GREEN](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000316
- Mfr. No.: RAMP1Z
- Finish: Green
- Scope Tube Diameter: 1"
- Delivery weight: 0.354kg
- Shipping height: 76mm
- Shipping width: 165mm
- Shipping length: 241mm
- UPC: 656813104079

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15/M16 R.A.M.P. TACTICAL MOUNT 1" ULTRA HIGH (1.435") 0 MOA MOUNT, GREEN
- About Us

Safety Instruction Guide for AR15/M16 R.A.M.P. TACTICAL MOUNT 1" ULTRA HIGH (1.435") 0 MOA MOUNT, GREEN

Introduction

Thank you for choosing the AR15/M16 R.A.M.P. Tactical Mount. This guide provides essential safety instructions and usage guidelines to ensure safe and effective operation of the product. Please read this manual thoroughly before installation and use.

General Safety Guidelines

- **Product Safety:** This product is designed to ensure safe usage in accordance with EU regulations. Always follow the guidelines outlined in this manual.
- **Enhanced Recalls:** In the event of a safety issue, recall notices will be provided. Ensure you keep updated by checking the EU Safety Gate platform.
- **Online Shopping Safety:** When purchasing online, ensure that the platform adheres to safety requirements as per EU regulations.
- **Special Consumer Focus:** Extra precautions are in place for vulnerable groups. Ensure that this product is kept out of reach of children.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU contact point for assistance.
- **Rapid Alerts:** Stay informed about any safety alerts related to this product through the Safety Gate system.

Specific Safety Precautions for Use

- **Installation:** Ensure that the mount is installed correctly on a compatible Picatinny receiver rail to avoid any accidents.
- **Weight Limit:** Do not exceed the weight limit of the mount, which is approximately 9.7 oz (275g). Excess weight may compromise stability and safety.
- **Secure Fastening:** Always ensure that all screws and fasteners are securely tightened before use to prevent any components from loosening during operation.
- **Regular Inspections:** Periodically check the mount for any signs of wear, damage, or corrosion. If any issues are found, discontinue use immediately.
- **Proper Handling:** Handle the mount with care to avoid dropping or damaging it, which could lead to malfunction or injury.
- **Avoid Modifications:** Do not attempt to modify the mount in any way, as this could compromise its structural integrity and safety.

Instructions for Installation and Usage

1. Installation:

- Select a compatible Picatinny receiver rail on your firearm.
- Align the mount with the rail and slide it into place.
- Use the provided large hex nuts and clamping bar to secure the mount firmly to the rail.
- Tighten the hex nuts to ensure the mount is locked in place.
- Verify that the mount is stable and does not move.

2. Using the Mount:

- Attach your chosen optic securely to the mount using the integral scope rings.

- Ensure that the optic is positioned to allow for optimal eye relief and comfort.
- If using secondary sights, mount them on the removable Picatinny rails at a 45° angle as desired.
- After installation, check the alignment and make necessary adjustments to ensure accuracy.

3. PostUse Checks:

- After each use, inspect the mount for any signs of damage or loosening.
- Clean the mount as needed to remove dirt or debris that may affect performance.

Disposal Instructions

- When the product reaches the end of its life cycle, dispose of it in accordance with local regulations regarding electronic waste and materials.
- Ensure that all components are disposed of properly to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the AR15/M16 R.A.M.P. Tactical Mount, please refer to the designated EU contact point for assistance. Ensure you have your product details ready for efficient support.

By following these safety instructions, you can ensure a safe and effective experience with your AR15/M16 R.A.M.P. Tactical Mount. Thank you for your attention to these important guidelines.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz