

LR-SKEL EXTENDED SKELETONIZED MSR MOUNTS - WARNE MFG. COMPANY 1" ULTRA HIGH (1.435") 20 MOA MOUNT, TACTICAL GRAY

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

The LR-SKEL Mount offers 20 MOA built-in slope for long range precision shooting. This allows additional elevation adjustment in your optic when shooting ranges over 600 yards. The LR-SKEL Mount is CNC precision machined from 6061 aluminum and Warne has been able to reduce the weight by over 30%, compared to our R.A.M.P. Mount by utilizing a skeletonized body and ring caps. The LR-SKEL provides an additional inch of forward cantilever, compared to the original SKEL Mount to provide proper eye relief when using scopes with large eye boxes and gives extra space behind the mount for accessories like the Warne A645 45° side mount adapter.



Attributes

- Name: [WARNE MFG. COMPANY 1" ULTRA HIGH \(1.435"\) 20 MOA MOUNT, TACTICAL GRAY](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000373
- Mfr. No.: LRSKEL1TG
- Finish: Tactical Gray
- Scope Tube Diameter: 1"
- Style: 3-Gun, Competition
- Delivery weight: 0.252kg
- UPC: 656813105175

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [LRSKEL Extended Skeletonized MSR Mounts Safety Instruction Guide](#)
- [About Us](#)

LRSKEL Extended Skeletonized MSR Mounts

Safety Instruction Guide

Introduction

Thank you for choosing the LRSKEL Extended Skeletonized MSR Mount from Warne Mfg. Company. This guide provides essential safety instructions and usage guidelines to ensure safe and effective use of your mount. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure the mount is compatible with your firearm and optic before installation.
- Regularly inspect the mount for signs of wear or damage.
- Follow all local laws and regulations regarding firearm accessories.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Always use proper tools during installation to avoid injury.
 - Ensure the firearm is unloaded before attaching or detaching the mount.
- **Usage Safety:**
 - Always check the mount's stability before using the firearm.
 - Do not exceed the recommended weight limit for optics.
 - Maintain a proper shooting stance and grip when using the firearm with the mount.
- **Storage Safety:**
 - Store the mount in a dry and secure location when not in use.
 - Avoid exposing the mount to extreme temperatures and humidity.

Instructions for Installation and Usage

1. Installation Instructions:

- Ensure the firearm is unloaded.
- Align the LRSKEL Mount with the mounting points on your firearm.
- Securely fasten the mount using the provided screws and tools. Ensure all screws are tightened to prevent movement during use.
- Doublecheck the alignment and stability of the mount before proceeding.

2. Usage Instructions:

- Once installed, attach your optic to the mount according to the optic's manufacturer instructions.
- Adjust the optic for proper eye relief and alignment.
- When shooting, maintain a firm grip and a stable stance to ensure accuracy and safety.
- After use, clean the mount and optic as needed to maintain performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic and metal waste.
- Do not dispose of the mount in regular household waste.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please refer to the manufacturer's contact information provided with the product packaging or on the manufacturer's website.

Thank you for your attention to these safety guidelines. Enjoy your shooting experience with the LRSKEL Extended Skeletonized MSR Mount!

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu