

# LR-SKEL EXTENDED SKELETONIZED MSR MOUNTS - WARNE MFG. COMPANY 1" ULTRA HIGH (1.435") 20 MOA MOUNT, BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

The LR-SKEL Mount offers 20 MOA built-in slope for long range precision shooting. This allows additional elevation adjustment in your optic when shooting ranges over 600 yards. The LR-SKEL Mount is CNC precision machined from 6061 aluminum and Warne has been able to reduce the weight by over 30%, compared to our R.A.M.P. Mount by utilizing a skeletonized body and ring caps. The LR-SKEL provides an additional inch of forward cantilever, compared to the original SKEL Mount to provide proper eye relief when using scopes with large eye boxes and gives extra space behind the mount for accessories like the Warne A645 45° side mount adapter.



## Attributes

- Name: [WARNE MFG. COMPANY 1" ULTRA HIGH \(1.435"\) 20 MOA MOUNT, BLACK](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000628
- Mfr. No.: LRSKEL1TW
- Finish: -
- Scope Tube Diameter: -
- Style: -
- Delivery weight: 0.454kg
- Shipping height: 64mm
- Shipping width: 165mm
- Shipping length: 191mm
- UPC: 656813105991

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for LRSKEL Extended Skeletonized MSR Mounts](#)
- [About Us](#)

# Safety Instruction Guide for LRSKEL Extended Skeletonized MSR Mounts

## Introduction

Thank you for choosing the LRSKEL Extended Skeletonized MSR Mount from Warne MFG. Company. This product is designed for longrange precision shooting and has been manufactured with your safety and performance in mind. Please read this safety instruction guide thoroughly to ensure safe use and compliance with EU regulations.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the LRSKEL Mount by following all instructions. This product is designed to meet safety standards for nonfood items and is compliant with EU regulations.
- **Enhanced Recalls:** In the event of a product recall, you will receive standardized notices. Follow the instructions provided for any necessary remedies.
- **Online Shopping:** If purchased online, you are entitled to the same safety protections as if purchased in a physical store.
- **Special Consumer Focus:** Extra care should be taken if the product is used by vulnerable groups, including children. Ensure that the mount is kept out of reach of young children.
- **EU Contact Point:** For safety inquiries, please refer to the contact points established within the EU.
- **Rapid Alerts:** Stay informed about product safety updates through the EU Safety Gate system.

## Specific Safety Precautions for Use

- **Weight Consideration:** The LRSKEL Mount is lightweight, but ensure that your firearm is capable of supporting the additional weight of the optic and accessories.
- **Proper Installation:** Follow the installation instructions carefully to avoid improper mounting, which may lead to accidents.
- **Regular Inspections:** Periodically check the mount and all attachments for signs of wear or damage. Replace any damaged components immediately.
- **Avoid Modifications:** Do not modify the mount or its components, as this may compromise safety and performance.
- **Use with Compatible Optics:** Ensure that the optic you are using is compatible with the LRSKEL Mount to maintain proper functionality and safety.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools for installation, including a torque wrench and appropriate screwdriver.
- Ensure that the firearm is unloaded and pointed in a safe direction.

### 2. Installation:

- Align the mount with the appropriate mounting points on your firearm.
- Secure the mount using the provided screws. Tighten screws to the manufacturer's recommended torque specifications to prevent loosening during use.
- Attach the optic to the mount, ensuring it is securely fastened.

### 3. Usage:

- Before each use, inspect the mount and optic for any signs of damage or looseness.

- Adjust the optic as needed for elevation and windage, taking advantage of the 20 MOA slope for longrange shooting.
- Maintain a proper shooting stance and ensure that your eye relief is correct to avoid injury.

## **Disposal Instructions**

- Dispose of any packaging materials in accordance with local waste management regulations.
- When disposing of the LRSKEL Mount, ensure that it is done in an environmentally responsible manner. Check local guidelines for recycling or proper disposal of aluminum materials.

## **Contact Information for Further Support**

For any questions or concerns regarding the LRSKEL Mount or safety issues, please refer to the appropriate contact points established within the EU.

By following these safety instructions, you can ensure a safe and enjoyable experience with your LRSKEL Extended Skeletonized MSR Mount. Thank you for prioritizing safety and compliance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)