

# LR-SKEL EXTENDED SKELETONIZED MSR MOUNTS - WARNE MFG. COMPANY 30MM ULTRA HIGH (1.435") 20 MOA MOUNT, BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

The LR-SKEL Mount offers 20 MOA built-in slope for long range precision shooting. This allows additional elevation adjustment in your optic when shooting ranges over 600 yards. The LR-SKEL Mount is CNC precision machined from 6061 aluminum and Warne has been able to reduce the weight by over 30%, compared to our R.A.M.P. Mount by utilizing a skeletonized body and ring caps. The LR-SKEL provides an additional inch of forward cantilever, compared to the original SKEL Mount to provide proper eye relief when using scopes with large eye boxes and gives extra space behind the mount for accessories like the Warne A645 45° side mount adapter.



## Attributes

- Name: [WARNE MFG. COMPANY 30MM ULTRA HIGH \(1.435"\) 20 MOA MOUNT, BLACK](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000629
- Mfr. No.: LRSKEL30TW
- Delivery weight: 0.249kg
- Shipping height: 83mm
- Shipping width: 178mm
- Shipping length: 191mm
- UPC: 656813106004

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [LRSKEL Extended Skeletonized MSR Mounts Safety Instruction Guide](#)
- [About Us](#)

# LRSKEL Extended Skeletonized MSR Mounts

## Safety Instruction Guide

### Introduction

Thank you for choosing the LRSKEL Extended Skeletonized MSR Mount from Warne Mfg. Company. This guide provides essential safety instructions and information to ensure the safe and effective use of your mount. Please read this guide carefully before installation and use.

### General Safety Guidelines

- Always ensure that the mount is compatible with your firearm and optics.
- Inspect the mount and all components for any signs of damage before use.
- Do not exceed the manufacturer's weight limit for mounted accessories.
- Store the mount in a dry place away from extreme temperatures to prevent material degradation.
- Keep the mount and all accessories out of reach of children to prevent accidents.

### Specific Safety Precautions for Use

- Ensure your firearm is unloaded before installing or adjusting the mount.
- Use appropriate tools for installation to avoid damaging the mount or your firearm.
- Do not modify the mount in any way, as this may compromise safety and functionality.
- Be aware of your surroundings and ensure a safe shooting environment when using the mount.
- Always wear appropriate eye and ear protection while shooting.

### Instructions for Installation and Usage

#### 1. Installation:

- Ensure the firearm is unloaded.
- Position the LRSKEL Mount on the firearm's receiver, aligning it with the mounting holes.
- Secure the mount using the provided screws and tools. Do not overtighten.
- Check that the mount is firmly attached and does not move.

#### 2. Using the Mount:

- Attach your optic to the mount according to the optic manufacturer's instructions.
- Adjust the mount as needed for proper eye relief and comfort.
- Test the setup at a safe shooting range to ensure proper alignment and functionality.

### Disposal Instructions

- Dispose of the mount and packaging materials in accordance with local regulations.
- Do not dispose of the mount in household waste. Check for local recycling programs for metal materials.

### Contact Information for Further Support

For any inquiries or concerns regarding the LRSKEL Mount, please refer to the manufacturer's contact information provided on the packaging or visit the official website.

Thank you for your attention to these safety guidelines. Enjoy your shooting experience with the LRSKEL Extended Skeletonized MSR Mount!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)