

SUPER HIGH 1.9" 30MM MSR MOUNT - 30MM SUPER HIGH (1.90") 0 MOA MOUNT, DARK EARTH

Warne Scope Mounts is excited to introduce their second generation SKEL mount, the X-SKEL. This new MSR mount offers an additional 1" of forward cantilever, and 1 piece clamp design for added strength. The rugged, lightweight design of the X-SKEL maintains our famous Return to Zero capability, and utilizes ½" hex nuts for rock solid attachment. It features a skeletonized ring body and caps for reduced weight and steel threaded cap inserts for maximum durability. The X-SKEL places your optic 1.9" Super High height with a generous cantilever for proper eye relief, it will easily accommodate the longer eyepieces found on many of today's scopes. Lightweight, skeletonized aluminum body and caps to reduce overall weight without sacrificing reliability. #8 Torx style fasteners with steel threaded inserts to prevent stripping. Additional 1 Inch cantilever forward design to provide additional eye relief. Places your optic 1.9" Super High height for MSR and similar platforms. 1/2" tactical nut attachment, 65 in/lb. of torque is recommended.



Attributes

- Name: 30MM SUPER HIGH (1.90") 0 MOA MOUNT, DARK EARTH
- Manufacturer: WARNE MFG. COMPANY
- Product no.: 947000745
- Mfr. No.: SHXSKEL30DE
- Color: Dark Earth
- Elevation: 0 MOA
- Style: Picatinny
- Delivery weight: 0.308kg
- Shipping height: 89mm
- Shipping width: 89mm
- Shipping length: 171mm
- UPC: 656813106899

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: SUPER HIGH 1.9" 30MM MSR MOUNT Safety Instruction Guide](#)
- [Český: Návod pro bezpečné použití montáže Warne XSKEL 30MM SUPER HIGH](#)

SUPER HIGH 1.9" 30MM MSR MOUNT Safety Instruction Guide

Introduction

Thank you for choosing the SUPER HIGH 1.9" 30MM MSR MOUNT. This guide provides important safety information and instructions to ensure safe and effective use of the product. Please read this document carefully before using the mount.

General Safety Guidelines

- Ensure that the mount is compatible with your firearm and optic before installation.
- Always handle firearms safely and responsibly, following all applicable laws and regulations.
- Inspect the mount regularly for signs of wear or damage. Do not use if damaged.
- Keep the mount and all accessories out of reach of children and unauthorized users.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure the mount is securely attached to your firearm before use.
- Do not exceed the recommended torque of 65 in/lb. during installation.
- Avoid using excessive force when tightening screws to prevent stripping.
- Be cautious when adjusting your optic to ensure proper eye relief.
- Do not modify or alter the mount in any way, as this may compromise safety and functionality.
- If you experience any issues during use, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a ½" hex nut wrench and #8 Torx screwdriver.
- Ensure your work area is clean and free from distractions.

2. Installation Steps

- Locate the Picatinny rail on your firearm.
- Position the mount on the rail, ensuring it is aligned properly.
- Use the ½" tactical nut to secure the mount to the rail.
- Tighten the nut to a torque of 65 in/lb. using the appropriate wrench.
- Attach your optic to the mount, following the manufacturer's instructions for your specific optic.

3. Usage Tips

- Always check the stability of the mount and optic before each use.
- Familiarize yourself with the proper handling of your firearm and optic.
- Adjust your optic for proper eye relief, ensuring comfort and safety.

Disposal Instructions

- Dispose of the mount in accordance with local regulations.
- If the mount is damaged or no longer usable, recycle materials where possible.
- Do not dispose of the mount in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the SUPER HIGH 1.9" 30MM MSR MOUNT, please refer to the manufacturer's website or customer service resources.

Návod pro bezpečné použití montáže Warne XSKEL 30MM SUPER HIGH

Úvod

Tento návod poskytuje důležité informace o bezpečném používání a instalaci montáže Warne XSKEL 30MM SUPER HIGH. Dodržování těchto pokynů zajistí bezpečné a efektivní použití produktu.

Obecné bezpečnostní pokyny

- Před použitím produktu si pečlivě přečtěte tento návod.
- Ujistěte se, že všechny součásti jsou před instalací nepoškozené.
- Montáž je určena pouze pro použití s odpovídajícími optickými zařízeními.
- Udržujte montáž a její okolí čisté a suché.
- Zabraňte kontaktu s vodou a extrémními teplotami.
- Pokud si nejste jisti, jak montáž správně používat, obraťte se na odborníka.

Specifická bezpečnostní opatření při používání

- Při manipulaci s montáží používejte ochranné brýle.
- Zkontrolujte, zda jsou všechny šrouby a matice pevně utažené před každým použitím.
- Nepoužívejte montáž, pokud je poškozená nebo vykazuje známky opotřebení.
- Dbejte na správné umístění optiky, aby nedošlo k poranění očí.

Pokyny pro instalaci a použití

1. Příprava na instalaci

- Zkontrolujte, zda máte všechny potřebné nástroje, včetně Torx šroubováku #8.
- Ujistěte se, že montážní plocha je čistá a suchá.

2. Instalace montáže

- Umístěte montáž na požadované místo na pušce.
- Upevněte montáž pomocí 1/2" taktického matice a utáhněte na doporučený kroutící moment 65 in/lb.
- Zkontrolujte, zda je montáž pevně uchycena a stabilní.

3. Umístění optiky

- Umístěte optiku do montáže tak, aby byla v souladu s požadovanou výškou 1.9" Super High.
- Ujistěte se, že optika je správně zarovnána a bezpečně uchycena.

4. Údržba

- Pravidelně kontrolujte montáž a optiku na známky opotřebení nebo poškození.
- Čistěte montáž jemným hadříkem, abyste odstranili prach a nečistoty.

Pokyny pro likvidaci

- Při likvidaci produktu se řiďte místními předpisy o odpadech.
- Nepokládejte produkt do běžného odpadu, pokud obsahuje nebezpečné materiály.
- Zvažte recyklaci, pokud je to možné.

Kontaktní informace pro další podporu

Pro další informace a podporu se obraťte na autorizovaného prodejce nebo výrobce. Ujistěte se, že máte k dispozici všechny potřebné informace o produktu.

Dodržováním těchto pokynů zajistíte bezpečné a efektivní používání montáže Warne XSKEL 30MM SUPER HIGH.