

1911 AUTO REDUCED POWER MAG CATCH SPRING - #3 CATCH SPRING, 10-PAK

[Handgun Parts](#) > [Frame Parts](#) > [Magazine Release Parts](#) > [Magazine Release Springs](#)

Reduced Power For Faster Mag Changes

Indispensable for fine tuning the magazine release for competition use. Try-pak includes factory equivalent spring plus #1 (strongest), #2, #3, and #4 (lightest) reduced power springs.



Attributes

- Name: [#3 CATCH SPRING, 10-PAK](#)
- Manufacturer: [WOLFF](#)
- Product no.: 969262403
- Mfr. No.: 26243
- Make: 1911
- Model: Commander, Government, Officers
- Delivery weight: 0.009kg
- Shipping height: 5mm
- Shipping width: 69mm
- Shipping length: 137mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1911 AUTO REDUCED POWER MAG CATCH SPRING #3 CATCH SPRING, 10PAK](#)
- [About Us](#)

Safety Instruction Guide for 1911 AUTO REDUCED POWER MAG CATCH SPRING #3 CATCH SPRING, 10PAK

Introduction

Thank you for choosing the 1911 AUTO REDUCED POWER MAG CATCH SPRING #3 CATCH SPRING, 10PAK. This product is designed to enhance the performance of your magazine release system, particularly for competitive use. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- If you encounter any issues or have concerns about the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when working with firearms and related components.
- Do not attempt to modify the springs in any way that may compromise their integrity or performance.
- Be aware of the potential for springs to exert significant force when installed or removed. Handle with care to avoid injury.
- Ensure that the firearm is unloaded and pointed in a safe direction before performing any installation or maintenance.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your firearm is completely unloaded and that there is no magazine inserted.
- Gather necessary tools, including a punch tool and a small hammer, if required.

2. Removing the Old Spring:

- With the firearm in a safe position, carefully remove the magazine release mechanism according to the manufacturer's instructions.
- Use the punch tool to gently push out the old spring. Take care to control the spring's release to avoid injury.

3. Installing the New Spring:

- Select the appropriate reduced power spring from the 10PAK. Refer to the packaging for guidance on spring strength.
- Insert the new spring into the magazine release mechanism.
- Reassemble the magazine release by following the manufacturer's instructions, ensuring all components are secured properly.

4. Testing:

- Once installed, test the magazine release to ensure it functions correctly. The release should operate smoothly without excessive resistance or slippage.
- If the magazine release does not function as intended, doublecheck the installation and consult with a qualified gunsmith if necessary.

Disposal Instructions

- Dispose of any old springs or components in accordance with local regulations.
- Do not dispose of springs in a manner that could pose a risk to the environment or public safety.
- Consider recycling materials where applicable.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of this product, please contact the manufacturer or a qualified firearms expert.

By following these guidelines, you can ensure the safe and effective use of the 1911 AUTO REDUCED POWER MAG CATCH SPRING #3 CATCH SPRING, 10PAK. Thank you for prioritizing safety in your firearm practices.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at