

ESS Fore-end Carbon Fiber 15in

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT ESS Fore-end Carbon Fiber 15in](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004239
- Mfr. No.: 102796-BLK
- Color: Carbon
- Material: Carbon Fiber
- Delivery weight: 0.4kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 400mm
- UPC: 709951103364

Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

MDT ESS Foreend Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend. This product is designed to enhance your shooting experience while ensuring safety during use. This guide provides essential safety instructions, installation procedures, and disposal information to help you use the product safely and effectively.

General Safety Guidelines

- Always read and understand this safety instruction guide before using the MDT ESS Foreend.
- Ensure that the product is used in accordance with the manufacturer's instructions.
- Regularly inspect the foreend for any signs of damage or wear before use.
- Keep the foreend out of reach of children and vulnerable individuals when not in use.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's recommended specifications for the foreend.
- Ensure that all attachments and accessories are securely fastened before use.
- Avoid using the foreend in adverse weather conditions, such as heavy rain or extreme temperatures, which may affect its performance.
- Be aware of your surroundings and ensure that the area is clear of obstructions and bystanders when using firearms.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms equipped with the foreend.

Instructions for Installation and Usage

Installation

1. **Prepare Your Workspace:** Ensure you have a clean, welllit area to work in, free from distractions.
2. **Gather Tools:** You will need the appropriate tools as specified in the product manual for installation.
3. **Remove Old Foreend (if applicable):**
 - Ensure the firearm is unloaded and safe to handle.
 - Follow the manufacturer's instructions to remove the existing foreend.
4. **Install the MDT ESS Foreend:**
 - Align the new foreend with the mounting points on your firearm.
 - Securely fasten the foreend using the designated screws and tools.
 - Check for stability and ensure there are no loose parts.

Usage

- Before each use, ensure that the foreend is properly attached and secure.
- Familiarize yourself with the handling and operation of your firearm equipped with the MDT ESS Foreend.
- Follow all local laws and regulations regarding firearm usage.

Disposal Instructions

- Dispose of the MDT ESS Foreend in accordance with local regulations.
- If the product is damaged or no longer usable, ensure it is disposed of in a manner that prevents potential hazards to the environment or safety.
- Consider recycling options if applicable.

Contact Information for Further Support

For any questions or concerns regarding the MDT ESS Foreend, please refer to the manufacturer's website or customer service for assistance.

Thank you for prioritizing safety while using the MDT ESS Foreend. Your adherence to these guidelines helps ensure a safe and enjoyable experience.

About Us

Brownells France

Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier

www.brownells.fr