

# ESS Chassis Base Savage Axis - ESS Chassis Base-Savage Axis SA-Right Handed-Cerakote FDE

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

Now you can make your own ESS Chassis, just select a Chassis Base here and add Forend and Stock of your choice! ESS Forends are offered in 3 different lengths, 12", 15" and 18", and can be ordered with a full rail, partial rail, or no rail with cut-outs to allow low scope mounting. Each forend comes with M-LOK slots and QD flush cup mounts. Action-specific scope mounting rails which co-index with the forend rail are available as an accessory. Stock options are the standard Skeleton Rifle stock for ESS, the Folding Rifle Stock for ESS, or the Skeleton Carbine Stock with the use of the ESS to Carbine Adapter.

NO IMAGE  
AVAILABLE

## Attributes

- Name: [ESS Chassis Base-Savage Axis SA-Right Handed-Cerakote FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007953
- Mfr. No.: 103192-FDE
- Action Type: Short
- Colour: FDE
- Hand (RH LH): Right
- Material: Aluminum
- Model: Axis
- Style: Chassis
- Weapon type: Savage
- Delivery weight: 0.9kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 400mm
- UPC: 709951102480

# Table of Contents

- Startpage
- MDT ESS Chassis Base Safety Instruction Guide
- About Us

# MDT ESS Chassis Base Safety Instruction Guide

## Introduction

Thank you for choosing the MDT ESS Chassis Base for your Savage Axis rifle. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before installation and use.

## General Safety Guidelines

- Always ensure that the firearm is unloaded before handling or installing the chassis.
- Familiarize yourself with the local laws and regulations regarding firearm modifications and usage.
- Use the chassis only with compatible models as specified in the product description.
- Inspect the chassis for any damage or defects before use. Do not use if damaged.
- Keep the chassis and all components out of reach of children and unauthorized users.
- Follow all manufacturer's instructions for installation and usage of the chassis and its components.
- Use appropriate personal protective equipment (PPE) when handling firearms and firearm components.

## Specific Safety Precautions for Use

- Ensure that the chassis is securely attached to the rifle before use.
- Do not exceed the weight limit for the chassis as specified by the manufacturer.
- Avoid using the chassis in extreme environmental conditions that may affect its performance.
- Do not modify the chassis or its components in any way that is not approved by the manufacturer.
- Be aware of your surroundings and ensure a safe shooting environment when using the firearm with the chassis.
- Always point the firearm in a safe direction and keep your finger off the trigger until ready to shoot.

## Instructions for Installation and Usage

### 1. Installation of the Chassis Base

- Ensure the firearm is unloaded.
- Remove the existing stock from the Savage Axis rifle following the manufacturer's instructions.
- Align the MDT ESS Chassis Base with the rifle's action and secure it using the provided screws.
- Tighten the screws to the manufacturer's specified torque settings.

### 2. Attaching the Forend

- Select the desired forend length (12", 15", or 18") and style (full rail, partial rail, or no rail).
- Align the forend with the chassis base and secure it using the provided mounting hardware.
- Ensure that the forend is firmly attached and does not wobble.

### 3. Installing the Stock

- Choose the appropriate stock option (Skeleton Rifle stock, Folding Rifle Stock, or Skeleton Carbine Stock).
- Attach the stock to the chassis base according to the manufacturer's instructions.
- Adjust the stock to your preferred length of pull and secure it.

### 4. Scope Mounting

- If using a scope, install the actionspecific scope mounting rail as an accessory.
- Ensure that the scope is mounted securely and aligned properly for optimal accuracy.

## 5. Final Inspection

- Perform a final inspection to ensure all components are securely attached and free of defects.
- Conduct a function check to ensure the rifle operates correctly with the new chassis.

## Disposal Instructions

- Dispose of the chassis and any components in accordance with local regulations.
- Do not dispose of the chassis in regular household waste.
- Consider recycling options for aluminum materials where available.

## Contact Information for Further Support

For any inquiries or concerns regarding the MDT ESS Chassis Base, please refer to the manufacturer's website or contact their customer support for assistance. Always ensure that you have the latest product information and updates.

Thank you for following these safety guidelines. Enjoy your shooting experience with the MDT ESS Chassis Base!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)