

## Chassis-Field Stock - Ruger American- SA- LH-FDE

The included sling swivel studs and an M-LOK forend allow you to mount any accessory you need to get the job done. Add a sling and bipod for a backcountry hunt or set up in a blind with an ARCA rail and tripod. AICS magazine compatibility ensures you're carrying the right amount of ammo. The adjustable buttstock cheek riser and length of pull spacers allow you to look through your scope with your head in the same position every time. Find targets faster and maintain a more repeatable shooting position.

NO IMAGE  
AVAILABLE

### Attributes

- Name: MDT Chassis-Field Stock - Ruger American- SA- LH-FDE
- Manufacturer: MDT
- Product no.: EU2012405
- Mfr. No.: 108638-FDE
- Color: FDE
- Make: Ruger
- Material: 6061 Aluminum
- Model: American
- Style: Chassis
- Delivery weight: 1.3kg
- Shipping height: 150mm
- Shipping width: 200mm
- Shipping length: 810mm
- UPC: 723905909635

# Table of Contents

- [Startpage](#)
- [English: MDT ChassisField Stock Ruger American SA LH Safety Instruction Guide](#)
- [Svenska: Säkerhetsanvisningar för MDT ChassisField Stock Ruger American SA LH](#)

# MDT ChassisField Stock Ruger American SA LH

## Safety Instruction Guide

### Introduction

Thank you for choosing the MDT ChassisField Stock for your Ruger American rifle. This guide provides essential safety instructions to ensure the safe use and maintenance of your product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product.

### General Safety Guidelines

- Always handle firearms with care and ensure they are pointed in a safe direction.
- Ensure the firearm is unloaded before attaching or detaching the chassis stock.
- Regularly inspect the chassis stock for any signs of wear or damage.
- Keep the product out of reach of children and unauthorized users.
- Be aware of local laws and regulations regarding firearm modifications and use.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

### Specific Safety Precautions for Use

- **Sling Swivel Studs:** Ensure that any accessories mounted using the sling swivel studs are securely fastened to prevent accidents.
- **MLOK Forend:** When attaching accessories to the MLOK forend, follow the manufacturer's instructions for proper installation and weight limits.
- **AICS Magazine Compatibility:** Use only compatible AICS magazines to avoid feeding issues and potential malfunctions.
- **Adjustable Buttstock:** Make sure the adjustable buttstock is securely locked in place before firing to maintain stability.
- **Cheek Riser and Length of Pull Spacers:** Adjust the cheek riser and length of pull spacers to fit your body size and shooting style, ensuring a comfortable and safe shooting position.
- **Backcountry Hunts:** When using the chassis stock in backcountry environments, ensure all accessories are secure to prevent loss or injury.

### Instructions for Installation and Usage

#### 1. Installation of the MDT ChassisField Stock:

- Ensure the firearm is unloaded before beginning installation.
- Remove the existing stock from the Ruger American by unscrewing the stock screws.
- Align the MDT chassis stock with the receiver and secure it using the provided screws. Ensure all screws are tightened to the manufacturer's specifications.
- Attach the sling swivel studs and any accessories as needed, following the manufacturer's guidelines.

#### 2. Usage:

- Before each use, perform a safety check to ensure the firearm is unloaded and the chassis stock is properly installed.
- Adjust the buttstock to your preferred length of pull and cheek riser height for optimal comfort and sight alignment.
- Practice proper shooting stance and ensure a secure grip on the rifle during use.
- After use, clean and maintain the chassis stock as per the manufacturer's recommendations.

## **Disposal Instructions**

- Dispose of the MDT ChassisField Stock in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the product in regular household waste. Instead, seek out designated recycling facilities for proper disposal.

## **Contact Information for Further Support**

For any questions or concerns regarding the MDT ChassisField Stock, please refer to the manufacturer's website or customer service for assistance. Ensure that you have the product model and serial number available for reference.

Thank you for following these safety instructions. Your safety is our priority. Enjoy your MDT ChassisField Stock and practice safe shooting!

# Säkerhetsanvisningar för MDT ChassisField Stock Ruger American SA LH

## Introduktion

Tack för att du har valt MDT ChassisField Stock för din Ruger American SA LH. Denna produkt är designad för att ge dig en förbättrad skjutupplevelse och ökad precision. För att säkerställa en säker och effektiv användning av produkten, vänligen följ dessa säkerhetsanvisningar noggrant.

## Allmänna säkerhetsriktlinjer

- Använd alltid produkten i enlighet med tillverkarens instruktioner.
- Kontrollera produkten regelbundet för slitage eller skador.
- Håll produkten utom räckhåll för barn och andra sårbara grupper.
- Rapportera eventuella farliga produkter eller olyckor till relevanta myndigheter.
- Kontrollera EU:s Safety Gateplattform för uppdateringar om återkallelser.

## Specifika säkerhetsåtgärder för användning

- Innan du monterar eller använder produkten, se till att den är kompatibel med ditt vapen.
- Använd alltid skyddsglasögon och hörselskydd vid skjutning.
- Se till att vapnet är i säkert läge och inte laddat när du arbetar med produkten.
- Undvik att använda produkten i ogynnsamma väderförhållanden som stark vind eller regn.
- Förvara produkten på en säker plats när den inte används.

## Instruktioner för installation och användning

### 1. Montering av Chassit:

- Ta bort det befintliga kolven från din Ruger American.
- Fäst MDT ChassisField Stock på vapnet enligt tillverkarens instruktioner.
- Använd de medföljande sling swivel studs och MLOK fästen för att montera tillbehör.

### 2. Justering av Kolvkindshöjd:

- Justera kolvkindshöjden för att passa din skjutställning.
- Använd spacers för att justera längden på draget efter dina preferenser.

### 3. Användning av Tillbehör:

- Montera ett bärhandtag eller bipod för stabilitet under skjutning.
- Använd ARCAskenor och stativ för att placera dig i ett gömsle.

### 4. Ammunition:

- Kontrollera att du använder AICS magasinkompatibel ammunition för att säkerställa korrekt funktion.

## Avfallshanteringsanvisningar

- Kasta inte produkten i hushållsavfallet.
- Följ lokala regler och riktlinjer för avfallshantering av metallprodukter.
- Kontakta din lokala avfallshanteringstjänst för information om korrekt återvinning av aluminium.

## **Kontaktinformation för ytterligare stöd**

För frågor eller mer information om säkerheten kring MDT ChassisField Stock, vänligen kontakta tillverkaren eller din lokala återförsäljare. Se till att ha produktens modell och serienummer tillgängligt för snabbare hjälp.

Tack för att du följer dessa säkerhetsanvisningar och för att du bidrar till en säker användning av MDT ChassisField Stock.