

Skeleton Rifle Stock - XTN - SRS-XF Premie - MDT Buttstock - Skeleton Rifle Stock - XTN Interface - SRS-XF Premier - BLK

MDT Skeleton Rifle Stock has Length of Pull adjustment via spacers and adjustable cheek rest with set screws. If using the MDT bolt handle, the buttstock side must fold last and unfold first to ensure it clears the bolt handle.

For chassis and actions requiring correct folding order to avoid contact (specified in notes), the buttstock side must fold last and unfold first to ensure it clears the bolt handle.

NO IMAGE
AVAILABLE

Attributes

- Name: MDT Buttstock - Skeleton Rifle Stock - XTN Interface - SRS-XF Premier - BLK
- Manufacturer: MDT
- Product no.: EU2014582
- Mfr. No.: 114484-BLK
- Color: Black
- Material: Aluminum
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- UPC: 616054070953

Table of Contents

- [Startpage](#)
- [English: MDT Skeleton Rifle Stock Safety Instruction Guide](#)

MDT Skeleton Rifle Stock Safety Instruction Guide

Introduction

Thank you for choosing the MDT Skeleton Rifle Stock XTN SRSXF Premier. This guide provides essential safety information and instructions for the proper use and care of your product. Please read this guide thoroughly to ensure safe and effective use.

General Safety Guidelines

- Ensure that the MDT Skeleton Rifle Stock is used only for its intended purpose.
- Always adhere to local laws and regulations regarding firearm accessories.
- Inspect the product regularly for any signs of wear or damage before each use.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Length of Pull Adjustment:** Adjust the Length of Pull using spacers as needed to fit your body size. Ensure that adjustments are secure before use.
- **Cheek Rest Adjustment:** Adjust the cheek rest using the set screws provided. Make sure it is firmly in place to avoid movement during use.
- **Folding Mechanism:** If using the MDT bolt handle, the buttstock side must fold last and unfold first. This is critical to ensure it clears the bolt handle and avoids any potential hazards.
- **Correct Folding Order:** For chassis and actions requiring a specific folding order, follow the guidelines to avoid contact with the bolt handle.
- **Vulnerable Users:** Special care should be taken when the product is used by inexperienced or younger users. Always supervise their use.

Instructions for Installation and Usage

1. Installation:

- Begin by ensuring the rifle is unloaded and pointed in a safe direction.
- Remove the existing stock if applicable, following the manufacturer's instructions.
- Attach the MDT Skeleton Rifle Stock securely to the rifle chassis, ensuring all screws are tightened according to specifications.
- Adjust the Length of Pull and cheek rest as needed before use.

2. Usage:

- After installation, perform a function check to ensure that all adjustments are secure.
- When adjusting the stock, ensure that your hands are clear of any moving parts to prevent injury.
- Always check the folding mechanism to ensure it operates smoothly and does not obstruct the bolt handle.

Disposal Instructions

- Dispose of the MDT Skeleton Rifle Stock in accordance with local regulations regarding waste disposal.
- If the product is damaged beyond repair, ensure that it is disposed of in a way that prevents accidental use by unauthorized persons.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the manufacturer or your local distributor. Always ensure that you have the latest information regarding your product.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.