

Skeleton Rifle Stock - XTN - SRS-XF Premie - MDT Buttstock - Skeleton Rifle Stock - XTN Interface - SRS-XF Premier - TBL

MDT Skeleton Rifle Stock has Length of Pull adjustment via spacers and adjustable cheek rest with set screws. If using the MDT bolt handle, the buttstock side must fold last and unfold first to ensure it clears the bolt handle.

For chassis and actions requiring correct folding order to avoid contact (specified in notes), the buttstock side must fold last and unfold first to ensure it clears the bolt handle.

NO IMAGE
AVAILABLE

Attributes

- Name: MDT Buttstock - Skeleton Rifle Stock - XTN Interface - SRS-XF Premier - TBL
- Manufacturer: MDT
- Product no.: EU2014584
- Mfr. No.: 114484-TBL
- Color: Blue Mist
- Material: Aluminum
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- UPC: 616054071622

Table of Contents

- [Startpage](#)
- [English: MDT Skeleton Rifle Stock Safety Instruction Guide](#)

MDT Skeleton Rifle Stock Safety Instruction Guide

Introduction

Thank you for choosing the MDT Skeleton Rifle Stock XTN SRSXF Premier. This guide provides important safety instructions and guidelines to ensure the safe use of this product. Please read this document carefully before using the rifle stock.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always inspect the rifle stock before each use for any signs of damage or wear.
- Keep the rifle stock out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Length of Pull Adjustment:** Use spacers to adjust the length of pull. Ensure that adjustments are securely fastened.
- **Cheek Rest Adjustment:** Adjust the cheek rest with set screws. Confirm that it is stable before use.
- **Folding Mechanism:** When using the MDT bolt handle, ensure that the buttstock side folds last and unfolds first to avoid contact with the bolt handle.
- **Folding Order:** For chassis and actions that require a specific folding order, always fold the buttstock side last and unfold first to prevent any interference.

Instructions for Installation and Usage

1. Installation:

- Begin by selecting the appropriate spacers for your desired length of pull.
- Attach the spacers securely to the rifle stock.
- Adjust the cheek rest using the set screws to suit your comfort.

2. Usage:

- Before using the rifle stock, inspect it for any damage or loose parts.
- When folding or unfolding the stock, always follow the specified order:
 - Fold the buttstock side last.
 - Unfold the buttstock side first.
- Ensure that the stock clears the bolt handle during operation.

Disposal Instructions

- Dispose of the MDT Skeleton Rifle Stock in accordance with local regulations.
- Avoid disposing of the product in regular household waste.
- Consider recycling the aluminum material to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the MDT Skeleton Rifle Stock, please refer to the manufacturer's contact information provided with your product packaging. It is important to have access to support for any safety inquiries.

Thank you for choosing the MDT Skeleton Rifle Stock. Your safety is our priority.